

	Type	Hits	Search Text	DBs
1	BRS	5889	S2 and ((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EP ; JPO; DERWENT; IBM_TDB
2	BRS	65983	((illuminat\$5 d vice) or light or lamp) and ((hold\$6 sleeve) r enclosure)	US-PGPUB; USPAT; EP ; JP ; DERWENT; IBM_TDB
3	BRS	875	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((remov\$6 or releas\$6) attachment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	14	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((remov\$6 or releas\$6) attachment) and ((ball or univers\$6) joint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	2	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((remov\$6 or releas\$6) attachment) and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	637	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((ball or univers\$6) joint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	199	((illuminat\$5 device) or light or lamp) and ((hold\$6 sleeve) or enclosure) and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	637	S9 or S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	7	S2 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	1705	((illuminat\$5 device) or light or lamp) and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	45	((illuminat\$5 device) or light or lamp) and ((ball or univers\$6) joint) and magnet\$4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	5657	362/197-208,269,270,285,287-289,393,397,398,421,422,427.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	6	S15 and ((ball or univers\$6) joint) and magnet\$4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	6	S15 and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	0	articulate illumin\$6 (article or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	28173	illumin\$6 (article or device)	US-PGPUB; USPAT; EP ; JPO; DERWENT; IBM_TDB
17	BRS	1123	illumin\$6 (article or devic) and sle ve	US-PGPUB; USPAT; EPO; JP ; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
18	BRS	16	S19 and ((ball or univers\$6) j int) and magnet\$4	US-P PUB; USPAT; EP ; JPO; DERWENT; IBM_TDB
19	BRS	5409	S19 and (novelty r articu\$6)	US-P PUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	2	S22 and ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EP ; JP ; DERWENT; IBM_TDB
21	BRS	0	S2 and ((ball or univers\$6) joint) and magnet\$4and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	1	S2 and ((ball or univers\$6) joint) and magnet\$4 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	1	(lamp or light or illuminat\$5 device) ((ball or univers\$6) joint) and magnet\$4 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	4	(lamp or light or illuminat\$5 device) ((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	258	(lamp or light or illuminat\$5 device) and ((ball or univers\$6) joint) and magnet\$4 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	9054	362/578,577,103,104,110,111,116-120,157,188,190,197-208,269,270,285,287-289,370,371,393,397,398,421,422,427,437-439,457,458.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	11	S30 and (((ball or univers\$6) joint) and magnet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	149	S30 and ((ball or univers\$6) joint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	520	S30 and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	211	S30 and magnet\$4 and adjust\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	398	S30 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	172	S30 and (novelty or articul\$6) and adjust\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	11305	362/578,577,103,104,110,111,116-120,157,188,190,197-208,269,270,285,287-289,370,371,393,397,398,421,422,427,437-439,457,458,249,250,191,282.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	36	S38 and ((ball or univers\$6) joint) and batter\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	167	S38 and ((ball r univers\$6) joint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	1100	S38 and batter\$4 and adjust\$6	US-P PUB; USPAT; EP ; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
37	BRS	74	S38 and batter\$4 and adjust\$6 and ((stor\$5 or hold\$4) (casing or housing or sleeve))	US-P PUB; USPAT; EPO; JP ; DERWENT; IBM_TDB
38	BRS	141	362/116.ccls.	US-PGPUB; USPAT; EP ; JPO; DERWENT; IBM_TDB
39	BRS	291	362/197.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	17	("4152757" "4283661" "5138538" "5163748" "5222806" "5469346" "5632552" "5957564" "5997165" "6023819" "6236622" "6249089" "6348766" "6361184" "6390648" "D427703" "D428177").PN.	US-PGPUB; USPAT; USOCR
41	BRS	0	("6736531").URPN.	USPAT
42	BRS	4066	((ball or univers\$6) joint) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	4352	portab\$6 ((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	4	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	2933874	((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	1705	S47 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	199	S51 and ((hold\$6 sleeve) or enclosure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	177	S52 and @ad < "20020904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	22	S52 not S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	5241	((ball or univers\$6) (joint or coupl\$5 or attachment)) and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	2337	S55 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	251	S56 and ((hold\$6 sleeve) or enclosure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	219	S57 and @ad < "20020904"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	105	((illuminat\$5 device) or light or lamp) with (storage (sleeve or casing or housing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	4	S47 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	1	S48 with (storage (sleeve r casing r h using))	US-PGPUB; USPAT; EP ; JPO; DERWENT; IBM_TDB
57	BRS	45	S47 and "362"/\$.ccls.	US-PGPUB; USPAT; EP ; JP ; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
58	BRS	345525	S50 and (novelty or articul\$6)	US-PGPUB; USPAT; EPO; JP ; DERWENT; IBM_TDB
59	BRS	258	S47 and S63	US-PGPUB; USPAT; EP ; JPO; DERWENT; IBM_TDB
60	BRS	213	S64 and @ad < "20020904"	US-PGPUB; USPAT; EP ; JP ; DERWENT; IBM_TDB
61	BRS	45	S64 not S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	364	362/570,571,565,577,578,579.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	35	362/570,571,565,577,578,579.ccls. and (362/800.ccls. or 362/555.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	474335	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	116	S67 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	474302	S69 not S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	83	S70 not S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	66656	((ball or univers\$6) (joint or coupl\$5 or attachment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	1	S67 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	11310	362/578,577,103,104,110,111,116- 120,157,188,190,197- 208,269,270,285,287- 289,370,371,393,397,398,421,422,427, 437- 439,457,458,249,250,191,282.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	188	S75 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	12	("3418461" "3612853" "4208703" "4399498" "4897768" "5213412" "5303133" "5400234" "5573329" "5873651" "6062703").PN.	US-PGPUB; USPAT; USOCR
73	BRS	0	("6669353").URPN.	USPAT
74	BRS	2934868	((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	10898	(casing or housing or body) with S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	233	S80 with S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	IS&R	1	("4967323").PN.	USPAT
78	BRS	11	("1741264" "1752343" "2117967" "3008040" "3830230" "4406040" "4533982").PN.	US-P PUB; USPAT; US CR

79	BRS	18	("4967323").URPN.	USPAT
----	-----	----	-------------------	-------

	Type	Hits	Search Text	DBs
80	IS&R	1	("4533982").PN.	USPAT
81	BRS	8040	key (hold r or ring or loop)	US-P PUB; USPAT; EPO; JP ; DERWENT; IBM_TDB
82	BRS	3125588	S79 or S69	US-P PUB; USPAT; EPO; JP ; DERWENT; IBM_TDB
83	BRS	1974	S86 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	14	S88 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	0	362/116.ccls. and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	141	362/116.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	66656	S73 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	2107	S69 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	4	S69 and S73 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	2453	S87 and S73 and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	47	S87 and S73 and magnet\$4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	3	S87 and S73 and magnet\$4 and "40"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	2934868	((illuminat\$5 device) or light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	66656	((ball or univers\$6) (joint or coupl\$5 or attachment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	5249	S100 and magnet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	48	S100 and magnet\$4 and "362"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	8	S100 and magnet\$4 and "40"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	56	S102 or S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	IS&R	1	("4533982").PN.	USPAT
100	BRS	2	("3008040").PN.	US-PGPUB; USPAT; USOCR
101	BRS	34	("4533982").URPN.	USPAT
102	BRS	28	("2298042" "2493205" "2530913" "2591269" "2611019" "2680844" "2823300" "3265880" "3323117" "3323118" "3539797" "4274130" "4325107" "4357648" "4458299" "4530039" "4533982").PN.	US-PGPUB; USPAT; US CR
103	BRS	12	("4740874").URPN.	USPAT

	Type	Hits	Search Text	DBs
104	BRS	9054	362/578,577,103,104,110,111,116- 120,157,188,190,197- 208,269,270,285,287- 289,370,371,393,397,398,421,422,427, 437-439,457,458.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB